

IN THE ABSTRACT:

Replace page 43, a page containing an abstract with the enclosed revised page that reads as follows:

--FLAME RESISTANT POLYCARBONATE BLENDS

ABSTRACT OF THE DISCLOSURE

A thermoplastic molding composition that contains a resinous blend with phosphonate amine is disclosed. The resinous blend contains polycarbonate and a graft polymer having a graft substrate rubber selected from among silicone, EP(D)M and acrylate rubbers. The composition exhibits exceptional flame resistance and good mechanical properties such as stress cracking resistance and ease of flow while exhibiting high heat resistance.--

IN THE CLAIMS:

✓
Cancel Claims 11, 12, 13, and 14.

Amend the following:

3. (Amended) Blends according to Claim 2 containing 2 to 20 parts by wt. of D.

4. (Amended) Blends according to Claim 1 wherein component B) is at least one graft polymer selected from the group consisting of

B.1 5 to 95 wt.% of at least one vinyl monomer on

B.2 95 to 5 wt.% of one or more graft substrates with glass transition temperatures of $<10^{\circ}\text{C}$

selected from the group consisting of silicone, acrylate and EP(D)M rubbers.

6. (Amended) Blends according to Claim 5, wherein

B.1.1 is at least one member selected from the group consisting of styrene, α -methylstyrene and methyl methacrylate and

B.1.2 is at least one member selected from the group consisting of acrylonitrile, methacrylonitrile, maleic anhydride and methyl methacrylate.

7. (Amended) Blends according to Claim 1 wherein component C.1 consists of vinyl (co)polymers of at least one monomer from the group of vinyl aromatic compounds, vinyl cyanides, C₁-C₈ alkyl (meth)acrylates, unsaturated carboxylic acids and derivatives of unsaturated carboxylic acids.

8. (Amended) Blends according to Claim 1 wherein phosphonate amine is a member selected from the group consisting of 5,5,5',5',5'',5'''-hexamethyl-tris-(1,3,2-dioxaphosphorinane-methane)-amino-2,2',2''-trioxide, 1,3,2-dioxaphosphorinane-2-methanamine, N-butyl-N-[(5,5-dimethyl-1,3,2-dioxaphosphorinan-2-yl)-methyl]-5,5-dimethyl-, P,2-dioxide; 1,3,2-dioxaphosphorinane -2-methanamine, N-[(5,5-dimethyl-1,3,2-dioxaphosphorinan-2-yl)-methyl]-5,5-dimethyl-N-phenyl- P,2-dioxide; 1,3,2-dioxaphosphorinane-2-methanamine, N,N-dibutyl-5,5-dimethyl-, 2-oxide, 1,3,2-dioxaphosphorinane-2-methanimine, N-[(5,5-dimethyl-1,3,2-dioxaphosphorinan-2-yl)-methyl]-N-ethyl-5,5-dimethyl-, P,2-dioxide, 1,3,2-dioxaphosphorinane-2-methanamine, N-butyl-N-[(5,5-dichloromethyl-1,3,2-dioxaphosphorinan-2-yl)-methyl]-5,5-di-chloromethyl-, P,2-dioxide, 1,3,2-dioxaphosphorinane-2-methanamine, N-[(5,5-di-chloromethyl-1,3,2-dioxaphosphorinan-2-yl)-methyl]-5,5-di-chloromethyl-N-phenyl-, P,2-dioxide; 1,3,2-dioxaphosphorinane-2-methanamine, N,N-di-(4-chlorobutyl)-5,5-dimethyl-2-oxide; 1,3,2-dioxaphosphorinane-2-methanimine and N-[(5,5-dimethyl-1,3,2-dioxaphosphorinan-2-yl)-methane]-N-(2-chloroethyl)-5,5-di-(chloromethyl)-, P2-dioxide.

9. (Amended) Blends according to Claim 1 further containing at least one additive selected from the group consisting of lubricants, mould release agents, nucleating agents, antistatic agents, stabilisers, colorants and pigments.

Ex¹⁰ A₃

10. (Amended) Blends according to Claim 1 further containing a flame retardant which is different from component D.

Add the following:

A⁴

15. A method of using the blend of Claim 1 comprising producing a molded article.

16. A molded article comprising the blend of Claim 1.

10070015-023702